

# Jungbunzlauer

## MOISTURE ADJUSTMENT CHART FOR JUNGBUNZLAUER CANADA INC

Subject to Revision without Notification

For deliveries with moisture from 15.6% to 16.4%, shrink applies.

For deliveries with moisture at or above 16.5%, CCFM is being treated as dockage and is being deducted from the gross weight to arrive at the net wet quantity. A shrink divisor converts wet kilograms to dry metric tonnes and is applied to the net wet quantity to arrive at the net dry quantity.

Moisture adjustment discounts and shrink factors will be applied as per the following chart:

Moisture Adjustments USD \$  
FX @ \$0.80

Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US	Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US	Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US
15.5	1000.0	0.00	0.00								
15.6	1011.3	0.00	0.00	19.6	1061.6	12.83	0.33	23.6	1117.2	16.69	0.42
15.7	1012.5	0.00	0.00	19.7	1062.9	12.89	0.33	23.7	1118.7	16.78	0.43
15.8	1013.7	0.00	0.00	19.8	1064.3	12.94	0.33	23.8	1120.1	16.85	0.43
15.9	1014.9	0.00	0.00	19.9	1065.6	13.07	0.33	23.9	1121.6	16.88	0.43
16.0	1016.1	0.00	0.00	20.0	1066.9	13.42	0.34	24.0	1123.1	16.92	0.43
16.1	1017.3	0.00	0.00	20.1	1068.3	13.53	0.34	24.1	1124.6	16.99	0.43
16.2	1018.5	0.00	0.00	20.2	1069.6	13.60	0.35	24.2	1126.0	17.01	0.43
16.3	1019.8	0.00	0.00	20.3	1070.9	13.68	0.35	24.3	1127.5	17.11	0.43
16.4	1021.0	0.00	0.00	20.4	1072.3	13.80	0.35	24.4	1129.0	17.21	0.44
16.5	1022.2	8.43	0.21	20.5	1073.6	13.84	0.35	24.5	1130.5	17.35	0.44
16.6	1023.4	8.69	0.22	20.6	1075.0	13.93	0.35	24.6	1132.0	17.43	0.44
16.7	1024.7	8.96	0.23	20.7	1076.3	14.03	0.36	24.7	1133.5	17.52	0.44
16.8	1025.9	9.22	0.23	20.8	1077.7	14.10	0.36	24.8	1135.0	17.58	0.45
16.9	1027.1	9.52	0.24	20.9	1079.1	14.17	0.36	24.9	1136.5	17.64	0.45
17.0	1028.4	9.81	0.25	21.0	1080.4	14.24	0.36	25.0	1138.0	17.76	0.45
17.1	1029.6	10.08	0.26	21.1	1081.8	14.30	0.36	25.1	1139.6	17.79	0.45
17.2	1030.8	10.36	0.26	21.2	1083.2	14.39	0.37	25.2	1141.1	17.89	0.45
17.3	1032.1	10.65	0.27	21.3	1084.5	14.45	0.37	25.3	1142.6	17.99	0.46
17.4	1033.3	10.79	0.27	21.4	1085.9	14.53	0.37	25.4	1144.1	18.07	0.46
17.5	1034.6	11.14	0.28	21.5	1087.3	14.60	0.37	25.5	1145.7	18.16	0.46
17.6	1035.8	11.25	0.29	21.6	1088.7	14.69	0.37	25.6	1147.2	18.22	0.46
17.7	1037.1	11.40	0.29	21.7	1090.1	14.73	0.37	25.7	1148.8	18.25	0.46
17.8	1038.4	11.55	0.29	21.8	1091.5	14.79	0.38	25.8	1150.3	18.31	0.47
17.9	1039.6	11.60	0.29	21.9	1092.9	14.88	0.38	25.9	1151.9	18.38	0.47
18.0	1040.9	11.66	0.30	22.0	1094.3	14.97	0.38	26.0	1153.4	18.43	0.47
18.1	1042.2	11.74	0.30	22.1	1095.7	15.01	0.38	26.1	1155.0	18.52	0.47
18.2	1043.4	11.77	0.30	22.2	1097.1	15.09	0.38	26.2	1156.6	18.57	0.47
18.3	1044.7	11.84	0.30	22.3	1098.5	15.18	0.39	26.3	1158.1	18.63	0.47
18.4	1046.0	11.90	0.30	22.4	1099.9	15.23	0.39	26.4	1159.7	18.69	0.47
18.5	1047.3	12.00	0.30	22.5	1101.3	15.29	0.39	26.5	1161.3	18.77	0.48
18.6	1048.6	12.08	0.31	22.6	1102.8	15.90	0.41	26.6	1162.9	18.86	0.48
18.7	1049.9	12.15	0.31	22.7	1104.2	15.98	0.41	26.7	1164.4	18.96	0.48
18.8	1051.2	12.22	0.31	22.8	1105.6	16.07	0.41	26.8	1166.0	19.04	0.48
18.9	1052.4	12.30	0.31	22.9	1107.0	16.12	0.41	26.9	1167.6	19.13	0.49
19.0	1053.7	12.38	0.31	23.0	1108.5	16.20	0.41	27.0	1169.2	19.23	0.49
19.1	1055.0	12.45	0.32	23.1	1109.9	16.27	0.41	27.1	1170.8	19.30	0.49
19.2	1056.4	12.54	0.32	23.2	1111.4	16.36	0.42	27.2	1172.4	19.39	0.49
19.3	1057.7	12.60	0.32	23.3	1112.8	16.44	0.42	27.3	1174.1	19.52	0.50
19.4	1059.0	12.67	0.32	23.4	1114.3	16.50	0.42	27.4	1175.7	19.59	0.50
19.5	1060.3	12.74	0.32	23.5	1115.7	16.60	0.42	27.5	1177.3	19.71	0.50

# Jungbunzlauer

Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US	Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US	Moisture %	Kg Wet Corn (Divisor)	Moisture Adjustment per tonne \$US	Moisture Adjustment per bushel \$US
27.6	1178.9	20.47	0.52	32.1	1257.0	23.67	0.60	36.6	1346.3	27.91	0.71
27.7	1180.5	20.52	0.52	32.2	1258.9	23.73	0.60	36.7	1348.4	28.20	0.72
27.8	1182.2	20.62	0.52	32.3	1260.8	23.77	0.60	36.8	1350.5	28.47	0.72
27.9	1183.8	20.68	0.53	32.4	1262.6	23.81	0.60	36.9	1352.7	28.73	0.73
<b>28.0</b>	<b>1185.5</b>	<b>20.74</b>	<b>0.53</b>	<b>32.5</b>	<b>1264.5</b>	<b>23.84</b>	<b>0.61</b>	<b>37.0</b>	<b>1354.8</b>	<b>28.89</b>	<b>0.73</b>
28.1	1187.1	20.79	0.53	32.6	1266.4	23.89	0.61	37.1	1357.0	29.28	0.74
28.2	1188.8	20.84	0.53	32.7	1268.3	23.99	0.61	37.2	1359.1	29.57	0.75
28.3	1190.4	20.87	0.53	32.8	1270.1	24.03	0.61	37.3	1361.3	29.80	0.76
28.4	1192.1	20.90	0.53	32.9	1272.0	24.10	0.61	37.4	1363.5	30.09	0.76
28.5	1193.8	20.98	0.53	<b>33.0</b>	<b>1273.9</b>	<b>24.15</b>	<b>0.61</b>	37.5	1365.7	30.39	0.77
28.6	1195.4	21.06	0.53	33.1	1275.8	24.23	0.62	37.6	1367.8	30.66	0.78
28.7	1197.1	21.15	0.54	33.2	1277.7	24.29	0.62	37.7	1370.0	30.91	0.79
28.8	1198.8	21.27	0.54	33.3	1279.7	24.35	0.62	37.8	1372.2	31.23	0.79
28.9	1200.5	21.36	0.54	33.4	1281.6	24.45	0.62	37.9	1374.5	31.51	0.80
<b>29.0</b>	<b>1202.2</b>	<b>21.48</b>	<b>0.55</b>	33.5	1283.5	24.54	0.62	<b>38.0</b>	<b>1376.7</b>	<b>31.81</b>	<b>0.81</b>
29.1	1203.9	21.56	0.55	33.6	1285.4	24.61	0.63	38.1	1378.9	32.07	0.81
29.2	1205.6	21.69	0.55	33.7	1287.4	24.66	0.63	38.2	1381.1	32.32	0.82
29.3	1207.3	21.79	0.55	33.8	1289.3	24.75	0.63	38.3	1383.4	32.58	0.83
29.4	1209.0	21.92	0.56	33.9	1291.3	24.86	0.63	38.4	1385.6	32.84	0.83
29.5	1210.7	22.01	0.56	<b>34.0</b>	<b>1293.2</b>	<b>24.92</b>	<b>0.63</b>	38.5	1387.9	33.08	0.84
29.6	1212.4	22.09	0.56	34.1	1295.2	25.00	0.64	38.6	1390.1	33.35	0.85
29.7	1214.1	22.16	0.56	34.2	1297.2	25.08	0.64	38.7	1392.4	33.66	0.85
29.8	1215.9	22.25	0.57	34.3	1299.1	25.12	0.64	38.8	1394.7	33.95	0.86
29.9	1217.6	22.37	0.57	34.4	1301.1	25.21	0.64	38.9	1396.9	34.25	0.87
<b>30.0</b>	<b>1219.3</b>	<b>22.43</b>	<b>0.57</b>	34.5	1303.1	25.28	0.64	<b>39.0</b>	<b>1399.2</b>	<b>34.48</b>	<b>0.88</b>
30.1	1221.1	22.52	0.57	34.6	1305.1	25.32	0.64	39.1	1401.5	34.77	0.88
30.2	1222.8	22.57	0.57	34.7	1307.1	25.38	0.64	39.2	1403.8	35.03	0.89
30.3	1224.6	22.64	0.58	34.8	1309.1	25.42	0.65	39.3	1406.2	35.33	0.90
30.4	1226.3	22.72	0.58	34.9	1311.1	25.54	0.65	39.4	1408.5	35.68	0.91
30.5	1228.1	22.78	0.58	<b>35.0</b>	<b>1313.1</b>	<b>25.60</b>	<b>0.65</b>	39.5	1410.8	36.02	0.92
30.6	1229.9	22.82	0.58	35.1	1315.2	25.69	0.65	39.6	1413.1	36.16	0.92
30.7	1231.7	22.87	0.58	35.2	1317.2	25.78	0.65	39.7	1415.5	36.35	0.92
30.8	1233.4	22.96	0.58	35.3	1319.2	25.84	0.66	39.8	1417.8	36.66	0.93
30.9	1235.2	22.97	0.58	35.4	1321.3	25.96	0.66	39.9	1420.2	37.01	0.94
<b>31.0</b>	<b>1237.0</b>	<b>23.03</b>	<b>0.59</b>	35.5	1323.3	26.04	0.66	<b>40.0</b>	<b>1422.6</b>	<b>37.38</b>	<b>0.95</b>
31.1	1238.8	23.08	0.59	35.6	1325.4	26.13	0.66	40.1	1424.9	37.71	0.96
31.2	1240.6	23.14	0.59	35.7	1327.4	26.21	0.67	40.2	1427.3	38.06	0.97
31.3	1242.4	23.22	0.59	35.8	1329.5	26.30	0.67	40.3	1429.7	38.42	0.98
31.4	1244.2	23.27	0.59	35.9	1331.6	26.40	0.67	40.4	1432.1	38.78	0.99
31.5	1246.0	23.32	0.59	<b>36.0</b>	<b>1333.6</b>	<b>26.55</b>	<b>0.67</b>	40.5	1434.5	39.11	0.99
31.6	1247.9	23.37	0.59	36.1	1335.7	26.68	0.68	40.6	1436.9	39.46	1.00
31.7	1249.7	23.42	0.60	36.2	1337.8	26.88	0.68	40.7	1439.3	39.81	1.01
31.8	1251.5	23.48	0.60	36.3	1339.9	27.09	0.69	40.8	1441.8	40.14	1.02
31.9	1253.4	23.53	0.60	36.4	1342.0	27.34	0.69	40.9	1444.2	40.50	1.03
<b>32.0</b>	<b>1255.2</b>	<b>23.59</b>	<b>0.60</b>	36.5	1344.1	27.62	0.70	41.0	1446.7	40.86	1.04